

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

1904-5—Fall and Spring

WHOLESALE TRADE PRICES

Kelsey's Hardy American Plants

The largest stock in the world of the **true Native Rhododendron catawbiense**, *R. maximum*, *Kalmia latifolia*, and indigenous *Azaleas*. Nearly 100 acres of native plants

GROWN AT

**Highlands Nursery, Kawana, N. C. (3,800 feet elevation)
and Salem, Mass.**

HARLAN P. KELSEY, Prop., Beacon Bldg., **BOSTON, MASS.**

Cable Address, **KELMONT—BOSTON.**

 Always address Boston Office.

Terms, etc.

Terms are cash or satisfactory reference from unknown parties. Accounts due 1st of each month, unless by special arrangement.

Shipments usually direct from Highlands Nursery, from Pineola, N. C., freight station. Present freight rate to New York, Boston and Philadelphia points, 96½ cents per 100 pounds. Special express rates connecting with Norfolk steamers. Rates from our Rhododendron fields in Pennsylvania and from Nursery in Salem, Mass., on request.

Packing charged at cost only; our export shipments reach the most remote countries in perfect condition.

Send foreign remittances by Postal Money Order, drawn on Boston, Mass., postoffice or by New York or Boston Exchange. An American dollar equals 4 shillings, 4 marks or 5 francs.

Claims must be made on receipt of goods. All shipments travel at consignee's risk.

Shipping begins in August, when we send out large Rhododendrons, Kalmias and other Evergreens, and Bulbs and Herbaceous Plants; general stock going out in October and November, and in spring, from about March 1 to May 15. Give shipping instructions, unless you wish to leave

it to us. We use our best judgment, but assume no risk.

A Certificate of Inspection is sent out with every shipment.

Strictly hardy stock only is offered in this catalog, unless specially noted.

We publish a beautifully illustrated descriptive catalog and a unique Rhododendron booklet. Please write for them.


We make low prices on any list of nursery stock desired, and are glad to estimate.



R. maximum



R. catawbiense



R. punctatum

Photograph showing comparative sizes and shapes of our best three species of American Rhododendrons. All are perfectly hardy in latitude of Quebec. One-half to one-third natural size.


The True
RHODODENDRON CATAWBIENSE
Carolina Rhododendron

IT is with great pleasure we offer for the first time in America or abroad a complete stock of the **rare** *Rhododendron catawbiense* (true species), in sizes from small plants to large clumps. Do not confuse this with the **common** so-called "*catawbiense* **seedlings**" imported from Europe, which is in reality a half-hardy, poor-flowered hybrid with little catawbiense blood in it. The true species grows only in the highest Southern Alleghany mountains, and is the **finest of all Rhododendrons**, considering its extreme hardiness, color of flower, and remarkable texture of foliage, which is a deep shiny green, far superior to that of the better known *Rhododendron maximum*.

For massing and producing a broad-leaved evergreen effect, there is no plant equal to it in the latitude of the northern United States, where strictly hardy plants must necessarily be used. Unlike *R. maximum*, it is a **free bloomer**, the large trusses being a **bright red-purple** color, in marked contrast to the **muddy** purple of the common half-hardy hybrid noted above. All plants offered below are **heavy clumps**. Packing is done in **boxes**, or the larger sizes in **crates**, and is charged at cost. These clumps often have 30 to 50 stems, and are bushy to the ground. We offer both collected and transplanted clumps.

For use as a finished edging for *Rhododendron maximum* and *Kalmia* plantations, the value of *R. catawbiense* **cannot be over-estimated**.

We have magnificent fields for collecting this grand Rhododendron, with reasonable freight rates. Parks, cemeteries and nurserymen should write us for special prices in car lots.



Rhododendron catawbiense in the Carolina mountains, at 4,000 feet elevation

PRICES OF RHODODENDRON CATAWBIENSE

Most clumps over 1 foot are heavily budded

NURSERY-GROWN

Bushy plants with balls and extra furnished, diameter of clumps corresponding to height

| | Per 10 | 100 | 1,000 |
|-----------------------------|--------|--------|---------|
| 3 to 6 inches..... | \$0 60 | \$4 50 | \$30 00 |
| 6 to 9 inches..... | 1 00 | 8 00 | 70 00 |
| 9 to 12 inches..... | 1 50 | 12 00 | 100 00 |
| Clumps, 6 to 9 inches..... | 2 00 | 18 00 | |
| Clumps, 9 to 12 inches..... | 3 50 | 25 00 | |
| Clumps, 1 to 1½ feet..... | 5 00 | 40 00 | |
| Clumps, 1½ to 2 feet..... | 11 00 | 90 00 | |
| Clumps, 2 to 3 feet..... | 20 00 | 150 00 | |
| Clumps, 3 to 4 feet..... | 35 00 | 300 00 | |

Some extra clumps, 3 to 5 feet high, at \$4 to \$15 each. These prices are for stock growing at nursery in N. C. Quotations will be made specially on Rhododendrons growing in nursery in Salem, Mass.

Do not compare the many-stemmed clumps offered above with the single-stemmed "bushy" half-hardy Rhododendrons offered by importers. There is no comparison

COLLECTED

All bushy clumps with fine balls, diameter corresponding to height

| | Per 10 | 100 | 1,000 |
|--------------------|--------|---------|----------|
| 1 to 1½ feet | \$3 00 | \$25 00 | \$210 00 |
| 1½ to 2 feet | 6 00 | 50 00 | 420 00 |
| 2 to 2½ feet | 9 00 | 70 00 | 600 00 |
| 2½ to 3 feet | 15 00 | 120 00 | 950 00 |
| 3 to 4 feet | 25 00 | 225 00 | 1,800 00 |
| 4 to 5 feet | 40 00 | 350 00 | |

We offer some large clumps with fine bushy tops, thin-foliated at bottom, for use in center of large masses, 3 to 6 feet high, at 75 ets. to \$10 each, both nursery-grown and collected.

and Kalmia latifolia

THE
MOUNTAIN LAUREL

PERFECTLY HARDY IN THE LATITUDE OF QUEBEC

THE use of large native *Rhododendron maximum* and *Kalmia latifolia* for producing immediate, finished, broad-leaved, evergreen effects is so well established as to scarcely need comment. There is no other possible way to obtain the results to be had by the use of these magnificent hardy evergreens. We sell both collected and nursery-grown clumps in any quantity. Our facilities and long experience are approached by none, and the quality of stock we handle cannot be duplicated. We have over 100,000 Rhododendrons and Kalmias growing in our Nurseries, fine bushy plants with balls.

Our nursery-grown stock is in Kawana and Salem, while we collect car-load lots from special sources in the **Pennsylvania** and **Carolina Mountains**. **Prices per car-load** of *Rhododendron maximum* vary with size and grade.

For mass effects, planting the large clumps in the backgrounds, we recommend using a mixed grade, say 2½ to 8 feet high, at **\$90.00 per car f. o. b.** Extra selection at **\$110.00 to \$140.00 per car**, according to size and grade.

KALMIA LATIFOLIA by car-load **\$100.00 to \$160.00 f. o. b.**, according to size and grade. Freight rate from our Pennsylvania fields to Boston, New York, Philadelphia, Buffalo and similar points is from \$20.00 to \$40.00 per car. Number of plants to the car varies from forty or fifty to several hundred, according to size and grade.

It is always best to have us make a special estimate where large quantities are desired, and it is cheaper and more satisfactory to buy by the plant, and have cars packed to the utmost limit.

PRICES BY THE PLANT

RHODODENDRON MAXIMUM

All are bushy and with balls, and the larger clumps usually budded and all well furnished, diameter corresponding well to height.

NURSERY-GROWN

| | Per 10 | 100 | 1,000 |
|---------------------|--------|--------|---------|
| 3 to 6 in. | \$0 40 | \$2 50 | \$18 00 |
| 6 to 12 in. | 75 | 5 00 | 40 00 |
| 1 to 1½ ft. | 1 75 | 12 50 | 100 00 |
| 1½ to 2 ft. | 3 00 | 20 00 | 180 00 |
| Clumps, 9 to 12 in. | 3 00 | 20 00 | |
| Clumps, 1 to 1½ ft. | 3 50 | 30 00 | |
| Clumps, 1½ to 2 ft. | 7 00 | 60 00 | |
| Clumps, 2 to 3 ft. | 12 50 | 115 00 | |
| Clumps, 3 to 3½ ft. | 30 00 | 250 00 | |

Some extra clumps, 3 to 6 ft., at \$3.50 to \$10.00 each. These prices are for stock growing at Nursery in North Carolina. Prices for stock growing in Nursery in Salem, Mass., on request.

COLLECTED CLUMPS

| | Per 10 | 100 | 1,000 |
|-------------|--------|---------|----------|
| 1 to 1½ ft. | \$2 75 | \$20 00 | \$160 00 |
| 1½ to 2 ft. | 4 00 | 35 00 | 300 00 |
| 2 to 3 ft. | 9 00 | 70 00 | 500 00 |
| 3 to 4 ft. | 17 00 | 140 00 | 1,000 00 |
| 4 to 5 ft. | 30 00 | 200 00 | 1,600 00 |
| 5 to 6 ft. | 50 00 | 400 00 | |

Some magnificent clumps, 4 to 6 feet, **perfect specimens**, from \$6.00 to \$15.00 each. If you want something **extra**, we have it.



Rhododendron maximum

KALMIA LATIFOLIA

All are well furnished and bushy and lift with fine balls, the larger clumps usually budded. Diameter corresponds well to height.

NURSERY-GROWN

| | Per 10 | 100 | 1,000 |
|---------------------|--------|--------|---------|
| 3 to 6 in. | \$0 40 | \$2 50 | \$18 00 |
| 6 to 9 in. | 75 | 5 00 | 35 00 |
| 9 to 12 in. | 1 00 | 7 00 | 55 00 |
| 1 to 1½ ft. | 1 75 | 12 50 | 100 00 |
| 1½ to 2 ft. | 3 00 | 20 00 | 180 00 |
| Clumps, 9 to 12 in. | 3 00 | 20 00 | |
| Clumps, 1 to 1½ ft. | 4 50 | 40 00 | |
| Clumps, 1½ to 2 ft. | 8 00 | 75 00 | |
| Clumps, 2 to 3 ft. | 20 00 | 150 00 | |

COLLECTED

| | Per 10 | 100 | 1,000 |
|-------------|--------|---------|----------|
| 1 to 1½ ft. | \$2 75 | \$20 00 | \$160 00 |
| 1½ to 2 ft. | 4 00 | 35 00 | 300 00 |
| 2 to 2½ ft. | 8 00 | 60 00 | 450 00 |
| 2½ to 3 ft. | 12 00 | 85 00 | 600 00 |

Larger clumps, fine specimens, can be supplied at \$2.00 to \$8.00 each.

RHODODENDRON PUNCTATUM

The smallest Alleghanian species, and very rare. A graceful shrub, with rose blossoms borne in greatest profusion in June. Beautiful for rocky slopes and cliffs, as it stands exposure unusually well. One of the finest specimens ever introduced.

| | Per 10 | 100 |
|---------------------|--------|--------|
| 3 to 6 in. | \$0 60 | \$5 00 |
| 6 to 9 in. | 1 25 | 10 00 |
| 9 to 12 in. | 2 00 | 18 00 |
| Clumps, 9 to 12 in. | 4 00 | 30 00 |
| Clumps, 1 to 1½ ft. | 8 00 | |

How to Make a Successful Rhododendron Bed



Large Rhododendrons growing at Highlands Nursery. From photograph.
(Small plants are grown under lath shade.)

By this we mean a place for the proper reception of Rhododendrons, Azaleas, Kalmias, Leucothoes, Andromedas, Galax and other ericaceous plants that require special treatment to make them thrive permanently. They are all **surface feeders**, requiring cool, moist loam to draw nourishment from.

WHERE POSSIBLE, choose a NORTHERN EXPOSURE with shade (it is often a winter sun on the frozen leaves that kills Rhododendrons), and good drainage. Where moisture can be had, excavate 2 feet, filling in with equal parts of good leaf-mold or other decayed vegetable matter and rich loam, with a tenth sharp sand, and plenty of *well-rotted* stable manure. In limestone soil, excavate 3 feet deep and 5 feet from the border of the planting, and water with rain- or cistern water if possible.

Keep the bed heavily mulched, using forest leaves, spent tan, old hay, etc., letting this covering decay from year to year, to give a continual supply of the mold and humus essential to successful growth.

In extensive plantations, use clumps preferably, choosing the most favorable location, with proper soil and drainage, giving the right care after planting as before indicated.

The essentials for successful Rhododendron culture are given above, and, if carried out, they are grown as easily and surely as Roses or Hydrangeas.

We are always glad to give advice on this subject.

Hardy Ground - Covering and other Plants specially recommended for the Rhododendron Bed

| | | | |
|-----------------------|-------------------------------|------------------|-------------------------|
| Leucothoe catesbeiana | Taxus minor | Epigaea repens | Trilliums in variety |
| Galax aphylla | Vinca minor | Ferns in variety | Bicuculla eximia |
| Andromeda polifolia | Pieris (andromeda) floribunda | Carex fraseri | Cypripediums in variety |
| Dendrium prostratum | Oxyccus macrocarpus | Lilium superbum | Viola in variety |
| Mitchella repens | Phlox, dwarf varieties | Lilium grayi | Convallaria majalis |
| Kalmia angustifolia | | Lilium canadense | |

FOR PRICES OF THESE, SEE FOLLOWING PAGES

Hardy American Trees, Deciduous

S.—Seedlings. Col.—Collected Plants. All other stock in this catalogue strong transplanted

| | | | | |
|--|--------|--------|---------|------|
| ACER | | | | |
| <i>negundo</i> , Box Elder— | 10 | 100 | 1,000 | |
| 1 to 2 ft. | \$0 50 | \$3 00 | | |
| 2 to 4 ft. | 75 | 5 00 | | |
| <i>pennsylvanicum</i> , Striped Maple. | 40 | 3 00 | \$25 00 | |
| 1 to 2 ft. | 75 | 5 00 | 40 00 | |
| 2 to 3 ft. | 1 00 | 8 00 | | |
| <i>rubrum</i> , Scarlet M.— | | | | |
| 12 in. | 40 | 2 00 | | |
| 1 to 2 ft. | 60 | 3 00 | | |
| 2 to 3 ft. | 1 00 | 7 00 | | |
| 3 to 4 ft. | 1 50 | 10 00 | | |
| 4 to 5 ft. | 2 00 | 18 00 | | |
| <i>saccharum</i> , Sugar M.— | | | | |
| 1 to 2 ft. | 40 | 3 00 | 20 00 | |
| 2 to 3 ft. | 75 | 5 00 | | |
| <i>spicatum</i> , Mountain M.— | | | | |
| 3 to 6 in. S. | 20 | 1 00 | 8 00 | |
| 6 to 12 in. S. | 25 | 1 50 | 12 00 | |
| 6 to 12 in. | 30 | 2 50 | 20 00 | |
| 1 to 2 ft. | 75 | 5 00 | 40 00 | |
| 2 to 3 ft. | 1 00 | 8 00 | | |
| 3 to 4 ft. | 1 50 | | | |
| AESCHULUS | | | | |
| <i>octandra</i> , Yellow Buckeye— | | | | |
| 6 to 12 in. | 35 | 3 00 | | |
| 1 to 2 ft. | 50 | 4 00 | | |
| AMELANCHIER | | | | |
| <i>botryatum</i> , Shad-bush— | | | | |
| 6 to 12 in. | 50 | 4 00 | 35 00 | |
| 1 to 2 ft. | 75 | 6 00 | 50 00 | |
| 2 to 3 ft. | 1 00 | 8 00 | | |
| 3 to 4 ft. | 1 50 | | | |
| 4 to 5 ft. | 2 00 | | | |
| BETULA | | | | |
| <i>lenta</i> , Sweet Birch. 1 to 2 ft. | 40 | 3 00 | 25 00 | |
| 2 to 4 ft. | 60 | 5 00 | 40 00 | |
| 4 to 6 ft. | 1 25 | 10 00 | | |
| 6 to 8 ft. | 2 00 | 15 00 | | |
| <i>lutea</i> , Yellow B. 1 to 2 ft. | 40 | 3 00 | 20 00 | |
| 2 to 4 ft. | 60 | 5 00 | 40 00 | |
| 4 to 5 ft. | 1 00 | 8 00 | | |
| 6 to 8 ft. | 2 00 | | | |
| <i>nigra</i> , River B. 1 to 2 ft. | 1 00 | 5 00 | 40 00 | |
| 2 to 4 ft. | 1 25 | 7 00 | 60 00 | |
| 4 to 6 ft. | 2 00 | 14 00 | | |
| <i>papyrifera</i> , Canoe B.— | | | | |
| 2 to 4 ft. | 1 50 | 12 00 | | |
| 4 to 6 ft. | 2 00 | 18 00 | | |
| 6 to 8 ft. | 3 50 | | | |
| 8 to 10 ft. | 5 00 | | | |
| CARPINUS | | | | |
| <i>caroliniana</i> , Water Beech— | | | | |
| 6 to 12 in. | 40 | 3 00 | 25 00 | |
| 1 to 2 ft. | 75 | 5 00 | 40 00 | |
| 2 to 3 ft. | 1 25 | 8 00 | 60 00 | |
| 3 to 4 ft. | 2 00 | 12 00 | | |
| CASTANEA | | | | |
| <i>dentata</i> , Am. Chestnut— | | | | |
| 6 to 12 in. S. | 40 | 1 50 | 10 00 | |
| 1 to 2 ft. | 50 | 2 50 | | |
| 2 to 3 ft. | 1 00 | 6 00 | | |
| 3 to 4 ft. | 1 50 | 10 00 | | |
| 4 to 5 ft. | 2 00 | | | |
| CASTANEA | | | | |
| <i>pumila</i> , Chinkapin— | | | | |
| 3 to 6 in. S. | \$0 75 | \$5 00 | 1,000 | |
| CATALPA | | | | |
| <i>speciosa</i> , Western Catalpa— | | | | |
| 6 to 12 in. | 30 | 1 50 | \$10 00 | |
| 1 to 2 ft. | 50 | 1 75 | 15 00 | |
| 2 to 3 ft. | 75 | 3 00 | 25 00 | |
| CELTIS | | | | |
| <i>occidentalis</i> , Hackberry— | | | | |
| 6 to 12 in. | 1 00 | | | |
| CERCIS | | | | |
| <i>canadensis</i> , Red-Bud— | | | | |
| 1 to 3 in. S. | 25 | 1 50 | 10 00 | |
| 1 to 2 ft. | 75 | | | |
| CLADRASIS | | | | |
| <i>lutea</i> , Kentucky Yellow Wood. | | | | |
| 1 to 2 ft. | 1 00 | 8 00 | | |
| 2 to 3 ft. | 1 50 | | | |
| CORNUS | | | | |
| <i>alternifolia</i> , Swamp Dogwood. | | | | |
| 6 to 12 in. | 40 | 2 00 | | |
| 1 to 2 ft. | 75 | 5 00 | | |
| 2 to 3 ft. | 1 25 | 8 00 | | |
| 3 to 4 ft. | 2 00 | | | |
| <i>florida</i> , Flowering D.— | | | | |
| 12 to 18 in. S. | 75 | 5 00 | | |
| 1 to 2 ft. | 1 00 | | | |
| 2 to 3 ft. | 1 50 | | | |
| DIOSPYROS | | | | |
| <i>virginiana</i> , Persimmon— | | | | |
| 6 to 12 in. | 75 | 4 00 | | |
| FAGUS | | | | |
| <i>americana</i> , Beech— | | | | |
| 3 to 6 in. S. | 30 | 1 50 | 10 00 | |
| 6 to 12 in. | 60 | 4 50 | 35 00 | |
| 1 to 2 ft. | 75 | 6 00 | | |
| FRAXINUS | | | | |
| <i>americana</i> , White Ash— | | | | |
| 1 to 2 ft. | 40 | 3 00 | | |
| 2 to 4 ft. | 60 | 5 00 | | |
| <i>lanceolata</i> , Green A.— | | | | |
| 1 to 2 ft. | 75 | 4 00 | 30 00 | |
| 2 to 4 ft. | 1 00 | 6 00 | | |
| <i>nigra</i> , Black A. 4 to 6 ft. | | | 2 00 | |
| <i>oregona</i> . 6 to 12 in. S. | | | 75 | 5 00 |
| <i>pubescens</i> . 1 to 2 ft. | | | 1 00 | 7 00 |
| GYMNOCLADUS | | | | |
| <i>diolica</i> , Ky. Coffee Tree— | | | | |
| 6 to 12 in. | 50 | 3 00 | | |
| 1 to 2 ft. | 75 | | | |
| 2 to 4 ft. | 1 00 | 8 00 | | |
| HICKORIA | | | | |
| <i>minima</i> , Bitternut— | | | | |
| 6 to 12 in. | 1 00 | 8 00 | | |
| ILEX | | | | |
| <i>monticola</i> , Mountain Holly— | | | | |
| 6 to 12 in. | 50 | 3 00 | | |
| 1 to 2 ft. | 75 | 5 00 | | |
| 2 to 3 ft. | 1 00 | 8 00 | | |
| 3 to 4 ft. | 1 50 | 12 00 | | |
| 4 to 6 ft. | 2 00 | | | |

The largest and best of the deciduous Hollies. Grows 15 to 20 feet high.

COLLECTED PLANTS

This is a Catalog of nursery-grown plants, unless specially noted, but many can be supplied in strong, collected stock when desired.

Our facilities are unapproached elsewhere for collecting the best stock at a low cost, and an experience of 20 years and well-trained collectors enable us to assure buyers that orders for "collected" plants will receive the same attention and care as though we intended planting the stock ourselves. We do not recommend the extensive use of collected stock and cannot guarantee it in any instance, excepting large evergreen clumps, such as Rhododendrons, etc.

KELSEY'S HARDY AMERICAN PLANTS, HIGHLANDS NURSERY

Hardy American Trees, Deciduous, continued

| | 10 | 100 | 1,000 | | 10 | 100 | 1,000 |
|--|--------|--------|---------|-------------------------------|--------|--------|-------|
| JUGLANS | | | | PTELEA | | | |
| <i>cinerea</i> , Butternut. 1 to 2 ft. | \$0 75 | \$4 00 | | <i>trifoliata</i> , Hop Tree— | | | |
| <i>LARIX</i> | | | | 6 to 12 in..... | \$0 75 | \$4 00 | |
| <i>laricina</i> , American Larch— | | | | 1 to 2 ft..... | 1 00 | 6 00 | |
| 6 to 12 in..... | 60 | 4 50 | \$35 00 | 2 to 3 ft..... | 1 25 | 8 00 | |
| 1 to 2 ft..... | 75 | 6 00 | | 3 to 4 ft..... | 1 50 | 10 00 | |
| LIQUIDAMBAR | | | | | | | |
| <i>styraciflua</i> , Sweet Gum— | | | | | | | |
| 6 to 12 in..... | 50 | 3 00 | | | | | |
| 1 to 2 ft..... | 75 | 4 00 | | | | | |
| 2 to 3 ft..... | 1 25 | | | | | | |
| LIRIODENDRON | | | | | | | |
| <i> tulipifera</i> , Tulip Tree— | | | | | | | |
| 1 to 2 ft..... | 50 | 2 00 | | | | | |
| 3 to 4 ft..... | 75 | | | | | | |
| 4 to 6 ft..... | 1 00 | | | | | | |
| MAGNOLIA | | | | | | | |
| <i>acuminata</i> , Cucumber Tree— | | | | | | | |
| 6 to 12 in..... | 60 | | | | | | |
| <i>fraseri</i> , Fraser's M.— | | | | | | | |
| 6 to 12 in..... | 75 | 5 00 | | | | | |
| 1 to 2 ft..... | 1 25 | | | | | | |
| <i>macrophylla</i> , 6 in..... | 3 00 | | | | | | |
| <i>tripetala</i> , Umbrella Tree— | | | | | | | |
| 3 to 6 in. S..... | 40 | 2 50 | 15 00 | | | | |
| 6 to 12 in..... | 60 | 4 00 | | | | | |
| 1 to 2 ft..... | 1 00 | 7 00 | | | | | |
| 2 to 3 ft..... | 1 50 | | | | | | |
| MALUS | | | | | | | |
| <i>coronaria</i> , Wild Crab— | | | | | | | |
| 6 to 12 in..... | 1 50 | 10 00 | | | | | |
| 1 to 2 ft..... | 2 00 | 18 00 | | | | | |
| MOHRODENDRON | | | | | | | |
| <i>dipetala</i> , Snowdrop. 9 to 18 in. | 1 00 | 10 00 | | | | | |
| <i>carolinum</i> , Silver Bell— | | | | | | | |
| 6 to 12 in..... | 1 00 | 8 00 | | | | | |
| 1 to 2 ft..... | 1 50 | 10 00 | | | | | |
| 2 to 3 ft..... | 2 00 | | | | | | |
| NYSSA | | | | | | | |
| <i>multiflora</i> . 6 to 12 in..... | 1 00 | | | | | | |
| OSTRYA | | | | | | | |
| <i>virginiana</i> , Iron-wood— | | | | | | | |
| 6 to 12 in..... | 75 | 5 00 | | | | | |
| 1 to 2 ft..... | 1 00 | 7 00 | | | | | |
| 2 to 3 ft..... | 1 50 | | | | | | |
| OXYDENDRUM | | | | | | | |
| <i>arboreum</i> , Tree Andromeda— | | | | | | | |
| 6 to 12 in..... | 75 | 5 00 | 30 00 | | | | |
| 1 to 2 ft..... | 1 00 | 7 00 | 50 00 | | | | |
| 2 to 3 ft..... | 1 75 | | | | | | |
| POPULUS | | | | | | | |
| <i>grandidentata</i> . 1 to 2 ft.... | 75 | | | | | | |
| <i>tremuloides</i> . 2 to 3 ft.... | 1 50 | | | | | | |
| 3 to 4 ft..... | 2 00 | | | | | | |
| PRUNUS | | | | | | | |
| <i>pennsylvanica</i> — | | | | | | | |
| 1 to 2 ft. Col..... | 40 | 2 00 | 8 00 | | | | |
| <i>serotina</i> , Black Cherry— | | | | | | | |
| 2 to 4 ft..... | 75 | 4 00 | | | | | |
| 4 to 6 ft..... | 1 50 | 8 00 | | | | | |
| PTELEA | | | | | | | |
| <i>trifoliata</i> , Hop Tree— | | | | | | | |
| 6 to 12 in..... | | | | | | | |
| 1 to 2 ft..... | | | | | | | |
| 2 to 3 ft..... | | | | | | | |
| 3 to 4 ft..... | | | | | | | |
| QUERCUS | | | | | | | |
| <i>cerris</i> . 6 to 12 in..... | | | | | | | |
| 12 to 18 in..... | | | | | | | |
| 1 to 2 ft..... | | | | | | | |
| 2 to 3 ft..... | | | | | | | |
| 3 to 4 ft..... | | | | | | | |
| <i>laurifolia</i> , Laurel O.— | | | | | | | |
| 6 to 12 in..... | | | | | | | |
| 1 to 2 ft..... | | | | | | | |
| 2 to 3 ft..... | | | | | | | |
| <i>macrocarpa</i> , Bur O.— | | | | | | | |
| 6 to 12 in..... | | | | | | | |
| 1 to 2 ft..... | | | | | | | |
| 2 to 3 ft..... | | | | | | | |
| <i>palustris</i> , Pin O. 6 to 12 in. | | | | | | | |
| 1 to 2 ft..... | | | | | | | |
| 2 to 3 ft..... | | | | | | | |
| 3 to 4 ft..... | | | | | | | |
| <i>prinoides</i> , Chestnut O.— | | | | | | | |
| 1 to 2 ft..... | | | | | | | |
| 2 to 3 ft..... | | | | | | | |
| 3 to 4 ft..... | | | | | | | |
| RHAMNUS | | | | | | | |
| <i>caroliniana</i> , Buckthorn— | | | | | | | |
| 1 to 2 ft..... | | | | | | | |
| RHUS | | | | | | | |
| <i>cotinoides</i> . 1 to 2 ft..... | | | | | | | |
| 2 to 3 ft..... | | | | | | | |
| 3 to 4 ft..... | | | | | | | |
| A very rare Smoke Tree, with rich glossy foliage | | | | | | | |
| ROBINIA | | | | | | | |
| <i>pseudacacia</i> , Yellow Locust, | | | | | | | |
| 1 to 2 ft. S..... | | | | | | | |
| 2 to 4 ft..... | | | | | | | |
| SORBUS (Pyrus) | | | | | | | |
| <i>americana</i> , Am. Mt. Ash— | | | | | | | |
| 6 to 12 in..... | | | | | | | |
| 1 to 2 ft..... | | | | | | | |
| 2 to 3 ft..... | | | | | | | |
| 3 to 4 ft..... | | | | | | | |
| TAXODIUM | | | | | | | |
| <i>distichum</i> , So. Cypress— | | | | | | | |
| 1 to 2 ft..... | | | | | | | |
| 2 to 3 ft..... | | | | | | | |
| 3 to 4 ft..... | | | | | | | |
| TILIA | | | | | | | |
| <i>americana</i> , Am. Linden— | | | | | | | |
| 6 to 12 in..... | | | | | | | |
| 1 to 2 ft..... | | | | | | | |
| 2 to 3 ft..... | | | | | | | |
| 3 to 4 ft..... | | | | | | | |
| ULMUS | | | | | | | |
| <i>americana</i> , American Elm— | | | | | | | |
| 4 to 6 ft..... | | | | | | | |
| 6 to 8 ft..... | | | | | | | |

Hardy American Conifers and Evergreen Trees

| | 10 | 100 | 1,000 | | 10 | 100 | 1,000 |
|--------------------------------|------|-------|--------|--|--------|--------|-------|
| ABIES | | | | JUNIPERUS | | | |
| <i>balsamea</i> , Balsam Fir— | | | | <i>communis</i> , Juniper— | | | |
| 6 to 12 in..... | | | | 6 to 12 in..... | \$0 60 | \$4 00 | |
| 1 to 2 ft..... | | | | 1 to 2 ft..... | | 1 00 | 7 00 |
| 2 to 3 ft..... | | | | 6 to 12 in..... | | | |
| 3 to 4 ft..... | | | | 1 to 2 ft..... | | | |
| ILEX | | | | MAGNOLIA | | | |
| <i>opaca</i> , American Holly— | | | | <i>foetida</i> (<i>grandiflora</i>), Great So. M. Prices on request. | | | |
| 3 to 6 in..... | 1 00 | 6 00 | | <i>glauca</i> , Sweet Bay— | | | |
| 6 to 12 in..... | 1 50 | 12 00 | 100 00 | 6 to 12 in..... | | | |
| 12 to 18 in..... | 2 00 | 15 00 | | 12 to 18 in..... | | | |
| PTELEA | | | | <i>glauca thompsoniana</i> — | | | |
| <i>trifoliata</i> , Hop Tree— | | | | 6 to 9 in..... | 1 00 | 7 00 | |
| 6 to 12 in..... | | | | | | | |
| 1 to 2 ft..... | | | | | | | |
| 2 to 3 ft..... | | | | | | | |
| 3 to 4 ft..... | | | | | | | |

Always address correspondence to Boston office

KAWANA, NORTH CAROLINA, AND BOSTON, MASSACHUSETTS

Hardy American Conifers and Evergreen Trees, continued

| | 10 | 100 | 1,000 |
|---------------------------------------|---------|---------|----------|
| PICEA | | | |
| <i>canadensis</i> , White Spruce— | | | |
| 6 to 12 in..... | \$ 0 75 | \$ 6 00 | \$ 40 00 |
| 1 to 2 ft..... | 1 00 | 9 00 | |
| <i>mariana</i> , Black S.— | | | |
| 6 to 12 in..... | 40 | 3 00 | 20 00 |
| 1 to 2 ft..... | 75 | | |
| 2 to 3 ft..... | 1 00 | 6 00 | |
| 3 to 4 ft..... | 1 50 | 8 00 | |
| 4 to 5 ft..... | 2 00 | 12 00 | |
| <i>pungens</i> , Colorado Blue— | | | |
| 6 to 12 in..... | 3 00 | 20 00 | |
| 12 to 18 in..... | 4 00 | 35 00 | |
| 1 to 2 ft..... | 7 50 | | |
| <i>rubra</i> , Red S. 18 to 24 in.... | 1 50 | | |
| PINUS | | | |
| <i>contorta</i> (<i>banksiana</i>), | | | |
| Twisted Pine. 1 to 2 ft.. | 75 | 5 00 | 40 00 |
| 2 to 3 ft..... | 1 00 | 7 00 | 65 00 |
| <i>flexilis</i> , Limber P.— | | | |
| 6 to 9 in..... | 1 50 | 10 00 | |
| <i>pungens</i> , Table Mt. P.— | | | |
| 1 to 2 ft..... | 2 00 | | |
| 2 to 3 ft..... | 3 00 | | |
| <i>strobus</i> , White P. 6 to 12 in. | 75 | 5 00 | 35 00 |
| 1 to 2 ft..... | 1 50 | 10 00 | 80 00 |
| 2 to 3 ft..... | 2 00 | 15 00 | |
| PSEUDOTSUCA | | | |
| <i>taxifolia</i> , Douglas Spruce— | | | |
| 3 to 6 in..... | 50 | 3 00 | 20 00 |
| 6 to 12 in..... | 1 00 | 8 00 | |

| | 10 | 100 | 1,000 |
|-----------------------------------|---------|---------|----------|
| THUJA | | | |
| <i>occidentalis</i> , Arborvitae— | | | |
| 6 to 12 in..... | \$ 0 30 | \$ 2 00 | \$ 15 00 |
| 1 to 2 ft..... | 50 | 4 00 | 30 00 |
| 2 to 3 ft..... | 75 | 6 00 | |
| 3 to 4 ft..... | 1 50 | | |
| TSUCA | | | |
| <i>canadensis</i> , Hemlock— | | | |
| 3 to 6 in..... | 25 | 2 00 | 15 00 |
| 6 to 12 in..... | 40 | 3 50 | 30 00 |
| 12 to 18 in..... | 1 00 | 8 00 | 60 00 |
| 18 to 24 in..... | 1 75 | 16 00 | 125 00 |
| 2 to 3 ft..... | 3 00 | 25 00 | |
| 3 to 4 ft..... | 4 50 | 40 00 | |
| 4 to 5 ft..... | 7 00 | | |
| <i>caroliniana</i> , Carolina H.— | | | |
| 6 to 12 in..... | 1 50 | 12 00 | 110 00 |
| 12 to 18 in..... | 2 50 | 20 00 | |
| 18 to 24 in..... | 4 00 | 30 00 | |
| Sizes 2 to 6 ft...\$1 to \$8 ea. | | | |

This grand new Hemlock, introduced by us, possesses a distinct pyramidal growth, and attains a height of 40 to 50 feet. Its dense, dark foliage and graceful habit are approached only by some of the finer Japanese Hemlocks, which it somewhat resembles. Some fine specimens are now to be seen in the Arnold Arboretum, Boston, being the first plants of this Hemlock ever sent out, and supplied by us to Prof. C. S. Sargent, Director, in 1884.

Hardy Native Deciduous Shrubs

| | 10 | 100 | 1,000 |
|---|---------|---------|---------|
| ADELIA | | | |
| <i>acuminata</i> . 2 ft..... | \$ 1 00 | \$ 8 00 | |
| ALNUS | | | |
| <i>alnobetula</i> , Alpine Alder— | | | |
| 1 to 2 ft..... | 2 00 | 12 00 | |
| 2 to 3 ft..... | 3 00 | 20 00 | |
| 3 to 4 ft..... | 4 50 | 30 00 | |
| 4 to 6 ft..... | 6 00 | 40 00 | |
| The most beautiful of the Alders. | | | |
| <i>rugosa</i> , Smooth A.— | | | |
| 6 to 12 in..... | 1 00 | 5 00 | |
| 1 to 2 ft..... | 1 50 | 10 00 | |
| 2 to 3 ft..... | 2 50 | | |
| AMORPHA | | | |
| <i>fruticosa</i> , False Indigo— | | | |
| 6 to 12 in. S..... | 25 | 75 | \$ 3 00 |
| 1 to 2 ft. S..... | 40 | 1 50 | |
| <i>herbacea</i> , Southern I.— | | | |
| 1 to 2 ft..... | 1 00 | | |
| ARALIA | | | |
| <i>spinosa</i> , Hercules' Club— | | | |
| 6 to 12 in..... | 1 00 | 8 00 | |
| 1 to 2 ft..... | 2 00 | 15 00 | |
| 2 to 4 ft..... | 2 50 | | |
| ARONIA (<i>Pyrus</i>) | | | |
| <i>arbutifolia</i> . 6 to 12 in..... | 75 | 4 00 | |
| 1 to 2 ft..... | 1 00 | 7 00 | |
| 2 to 4 ft..... | 1 50 | | |
| 3 to 4 ft..... | 2 50 | | |
| <i>melanocarpa</i> . 1 to 2 ft.... | 1 00 | | |
| <i>nigra</i> . 6 to 12 in..... | 50 | 4 00 | 25 00 |
| 1 to 2 ft..... | 75 | 6 00 | 40 00 |
| 2 to 3 ft. Cls..... | 1 50 | 12 00 | |
| ASCYRUM | | | |
| <i>hypericoides</i> , St. Andrew's Cross. 6 to 12 in..... | 1 00 | | |

NATIVE AZALEAS

(Strictly Hardy)

The American Azaleas are among the choicest of all ornamentals, exotic or native, and were but rarely seen in cultivation before being disseminated by Highlands Nursery. Large masses of the "Great Flame-colored Azalea," *A. lutea*, when seen in flower, present the most gorgeous effects, the shadings varying from deep crimson to a bright sulphur yellow, and its complete hardiness is unquestionable. The foliage of *A. arborescens* is the finest of all the Azaleas, remaining a clear, shiny green throughout the summer, a characteristic not usual with this family. The large, white, sweet-scented flowers appear the last of all the Azaleas, and the numerous pink-tipped stamens protruding give a most beautiful effect. *A. vaseyi* is one of the finest introductions of late years; the flowers, appearing before the foliage in April in the greatest profusion, are white to deep pink; attains a height of 12 to 15 feet. *A. nudiflora* (deep pink) and *A. viscosa* (white) are pretty, dwarfer varieties for the under shrubbery and for mass planting.

| | 10 | 100 | 1,000 |
|---------------------------------------|---------|----------|-----------|
| AZALEA | | | |
| <i>arborescens</i> , Fragrant White | | | |
| Azalea. 6 to 12 in..... | \$ 2 00 | \$ 15 00 | \$ 125 00 |
| 12 to 18 in..... | 3 00 | 25 00 | 200 00 |
| 18 to 24 in. Cl..... | 6 00 | 50 00 | |
| <i>arborescens rosea</i> — | | | |
| Small plants.....\$3 each.. | | | |
| <i>lutea</i> (<i>calendulacea</i>), | | | |
| Great Flame A. | | | |
| 6 to 12 in..... | 1 00 | 6 00 | 45 00 |
| 12 to 18 in..... | 1 50 | 12 00 | 90 00 |
| 18 to 24 in..... | 2 50 | 20 00 | 175 00 |
| 2 to 3 ft. Cls..... | 4 50 | 35 00 | |
| 3 to 4 ft. Cls..... | 15 00 | | |

HARDY STOCK ONLY!

The location of **HIGHLANDS NURSERY**, at the summit of the Blue Ridge, in western North Carolina, 3,800 feet among the clouds, and under the shadow of the great Grandfather Mountain (the highest peak in the Blue Ridge range), insures long, cool summers and cold winters, producing a perfectly hardy stock—a most important point with northern planters. Ten to 15 degrees below is not unusual, and occasionally the thermometer registers 20 degrees or more below zero.

KELSEY'S HARDY AMERICAN PLANTS, HIGHLANDS NURSERY

Hardy Native Deciduous Shrubs, continued

| | 10 | 100 | 1,000 | | 10 | 100 | 1,000 |
|--|--------|--------|---------|--|----|-----|-------|
| AZALEA | | | | | | | |
| <i>nudiflora</i> , Pinxter Flower— | | | | | | | |
| 6 to 12 in. | \$1 25 | \$8 00 | \$70 00 | | | | |
| 12 to 18 in. | 2 00 | 15 00 | | | | | |
| 18 to 24 in. | 3 00 | | | | | | |
| <i>vaseyi</i> , Southern A.— | | | | | | | |
| 6 to 12 in. | 1 25 | 9 00 | 80 00 | | | | |
| 12 to 18 in. | 1 75 | 15 00 | | | | | |
| 18 to 24 in. | 4 00 | | | | | | |
| <i>viscosa</i> , Early White A.— | | | | | | | |
| 6 to 12 in. | 1 00 | 6 00 | 40 00 | | | | |
| 12 to 18 in. | 1 25 | 9 00 | | | | | |
| BENZOIN | | | | | | | |
| <i>benzoin</i> , Spice Bush— | | | | | | | |
| 6 to 12 in. | 75 | 4 00 | 30 00 | | | | |
| 1 to 2 ft. | 1 00 | 8 00 | | | | | |
| BACCHARIS | | | | | | | |
| <i>halimifolia</i> , Groundsel— | | | | | | | |
| 6 to 12 in. | 1 00 | 8 00 | | | | | |
| BERBERIS | | | | | | | |
| <i>amurensis</i> . 6 to 12 in. | 2 00 | | | | | | |
| <i>aquifolium</i> (<i>repens</i>)— | | | | | | | |
| 2 to 4 in. | 2 00 | 15 00 | | | | | |
| <i>canadensis</i> , American B.— | | | | | | | |
| 6 to 12 in. | 50 | 3 00 | | | | | |
| 1 to 2 ft. | 75 | 5 00 | | | | | |
| <i>thunbergii</i> , Japanese B.— | | | | | | | |
| 6 to 12 in. | 40 | 3 50 | 30 00 | | | | |
| 1 to 2 ft. | 1 00 | 7 00 | 60 00 | | | | |
| <i>vulgaris</i> , Common B.— | | | | | | | |
| 6 to 12 in. | 50 | 4 00 | | | | | |
| 1 to 2 ft. | 1 00 | | | | | | |
| BUTNERIA (<i>Calycanthus</i>)— | | | | | | | |
| <i>fertilis</i> . 1 to 2 ft. Cls. | 60 | | | | | | |
| 2 to 3 ft. Cls. | 1 00 | 8 00 | | | | | |
| 3 to 4 ft. Cls. | 2 00 | | | | | | |
| <i>florida</i> . 6 to 12 in. | 50 | 2 00 | 15 00 | | | | |
| 1 to 2 ft. S. | 50 | 2 00 | 10 00 | | | | |
| 1 to 2 ft. | 75 | 3 00 | 20 00 | | | | |
| 2 to 3 ft. S. | 75 | 3 00 | 15 00 | | | | |
| 2 to 3 ft. Cls. | 2 00 | | | | | | |
| <i>glaucia</i> . 6 to 12 in. S. | 50 | 2 00 | | | | | |
| CALLICARPA | | | | | | | |
| <i>americana</i> , French Mulberry. 6 to 12 in. | 1 00 | | | | | | |
| CALYCANTHUS . See Butneria. | | | | | | | |
| CEANOTHUS | | | | | | | |
| <i>americana</i> , Jersey Tea— | | | | | | | |
| 6 to 12 in. | 1 50 | 12 00 | | | | | |
| 12 to 18 in. Cls. | 2 00 | 18 00 | 125 00 | | | | |
| 18 to 24 in. Cls. | 3 00 | | | | | | |
| CEPHALANTHUS | | | | | | | |
| <i>occidentalis</i> , Button Bush— | | | | | | | |
| 1 to 2 ft. | 1 50 | | | | | | |
| CHIONANTHUS | | | | | | | |
| <i>virginica</i> , White Fringe— | | | | | | | |
| 6 to 12 in. S. | 50 | 2 50 | 18 00 | | | | |
| 6 to 12 in. | 75 | 4 00 | | | | | |
| 1 to 2 ft. | 1 00 | 8 00 | 50 00 | | | | |
| 2 to 3 ft. | 2 00 | 15 00 | | | | | |
| 3 to 4 ft. | 3 50 | | | | | | |
| CLETHRA | | | | | | | |
| <i>acuminata</i> , Southern Pepper Bush. 1 to 2 ft. | 60 | 4 00 | | | | | |
| 2 to 3 ft. | 1 00 | 7 00 | | | | | |
| 3 to 4 ft. | 1 50 | 12 00 | | | | | |
| 4 to 6 ft. | 2 00 | | | | | | |
| <i>alnifolia</i> . 6 to 12 in. | 50 | 4 00 | 20 00 | | | | |
| 1 to 2 ft. Cls. | 1 00 | 7 00 | 60 00 | | | | |
| 2 to 3 ft. Cls. | 2 00 | 16 00 | | | | | |
| CLIFTONIA | | | | | | | |
| <i>ligustrina</i> . 6 to 12 in. | 2 00 | | | | | | |
| COMPTONIA | | | | | | | |
| <i>peregrina</i> , Sweet Fern— | | | | | | | |
| 6 to 12 in. | 50 | 3 00 | | | | | |
| 1 to 2 ft. | 75 | 4 00 | 35 00 | | | | |
| CORNUS | | | | | | | |
| <i>alba (sanguinea)</i> . 1 to 2 ft. | 60 | 3 00 | | | | | |
| 2 to 3 ft. | 1 00 | | | | | | |
| <i>amomum</i> (<i>sericea</i>), Silky Cornel. 3 to 6 in. S. | \$0 40 | \$1 50 | \$6 00 | | | | |
| 6 to 12 in. S. | 60 | 2 00 | 10 00 | | | | |
| 6 to 12 in. | 75 | 5 00 | | | | | |
| 1 to 2 ft. | 75 | 4 00 | 25 00 | | | | |
| 2 to 3 ft. | 1 00 | 6 00 | | | | | |
| 3 to 4 ft. | 2 00 | 12 00 | | | | | |
| <i>paniculata</i> , Paniced C.— | | | | | | | |
| 1 to 2 ft. | 1 50 | 10 00 | | | | | |
| <i>stolonifera</i> . 1 to 2 ft. | 1 00 | 7 00 | | | | | |
| 2 to 3 ft. | 1 50 | 12 00 | | | | | |
| CORYLUS | | | | | | | |
| <i>americana</i> , Hazel Nut— | | | | | | | |
| 6 to 12 in. | 40 | 2 50 | 20 00 | | | | |
| 1 to 2 ft. | 60 | 4 00 | 30 00 | | | | |
| 2 to 3 ft. | 1 00 | 8 00 | | | | | |
| 3 to 4 ft. | 1 50 | | | | | | |
| <i>rostrata</i> , Beaked H. N.— | | | | | | | |
| 6 to 12 in. | 50 | | | | | | |
| 1 to 2 ft. | 1 00 | 6 00 | 45 00 | | | | |
| CRATAEGUS | | | | | | | |
| <i>coccinea</i> , Scarlet Thorn— | | | | | | | |
| 6 to 12 in. | 75 | 6 00 | | | | | |
| <i>cordata</i> , Washington T.— | | | | | | | |
| 1 to 2 ft. | 1 00 | 8 00 | | | | | |
| <i>crus-galli</i> , Cockspur T.— | | | | | | | |
| 6 to 12 in. | 75 | 5 00 | | | | | |
| 1 to 2 ft. | 1 00 | 9 00 | | | | | |
| <i>punctata</i> , Large-fruited T.— | | | | | | | |
| 6 to 12 in. | 75 | 5 00 | 40 00 | | | | |
| 1 to 2 ft. | 1 00 | 8 00 | | | | | |
| DECODON | | | | | | | |
| <i>verticillatus</i> . Strong | 1 00 | 7 00 | | | | | |
| DIERVILLA | | | | | | | |
| <i>trifida</i> . 6 to 12 in. | 75 | 6 00 | | | | | |
| <i>rivarolii</i> . 6 to 12 in. S. | 1 50 | | | | | | |
| <i>sessilifolia</i> . 1 to 2 ft. | 75 | 6 00 | 40 00 | | | | |
| 2 to 3 ft. Cls. | 1 25 | 10 00 | 80 00 | | | | |
| EUONYMUS | | | | | | | |
| <i>americanus</i> , Strawberry Bush. 6 to 12 in. | 50 | 4 00 | | | | | |
| 1 to 2 ft. | 1 00 | 8 00 | | | | | |
| CAYLUSSACIA | | | | | | | |
| <i>resinosa</i> . 6 to 12 in. | 75 | 4 00 | | | | | |
| <i>ursina</i> , Buckberry— | | | | | | | |
| 6 to 12 in. | 1 00 | | | | | | |
| 12 to 18 in. | 2 00 | | | | | | |
| HAMAMELIS | | | | | | | |
| <i>virginica</i> , Witch Hazel— | | | | | | | |
| 1 to 2 ft. | 1 00 | 6 00 | | | | | |
| 2 to 3 ft. | 2 00 | 12 00 | | | | | |
| 3 to 4 ft. | 3 00 | 20 00 | | | | | |
| HYDRANGEA | | | | | | | |
| <i>arborescens</i> , Smooth Hydrangea. 1 to 2 ft. | 60 | 4 00 | | | | | |
| 2 to 3 ft. Cls. | 1 50 | | | | | | |
| <i>quercifolia</i> . 1 ft. | 3 50 | | | | | | |
| <i>paniculata</i> . 1 to 2 ft. Cls. | 1 50 | | | | | | |
| 2 to 3 ft. | 2 00 | | | | | | |
| <i>radiata</i> , Silver H. 6 to 12 in. | 75 | 5 00 | | | | | |
| 1 to 2 ft. | 1 50 | 12 00 | | | | | |
| 1 to 2 ft. Cls. | 2 00 | | | | | | |
| ILEX | | | | | | | |
| <i>decidua</i> , Meadow Holly— | | | | | | | |
| 3 to 6 in. S. | 40 | 3 00 | | | | | |
| <i>verticillata</i> , Winter Berry— | | | | | | | |
| 6 to 12 in. | 75 | 5 00 | | | | | |
| 1 to 2 ft. | 1 00 | 7 00 | 60 00 | | | | |
| 2 to 3 ft. | 1 75 | 15 00 | | | | | |
| ILICIOIDES | | | | | | | |
| <i>mucronata</i> , Mountain Holly— | | | | | | | |
| 6 to 12 in. | 1 00 | | | | | | |
| ITEA | | | | | | | |
| <i>virginica</i> . 6 to 12 in. | 75 | 5 00 | | | | | |
| 12 to 18 in. | 1 50 | 10 00 | | | | | |
| LICUSTRUM | | | | | | | |
| <i>lboata</i> . 6 to 12 in. | 40 | 2 00 | 12 00 | | | | |
| 1 to 2 ft. | 60 | 3 00 | 20 00 | | | | |
| <i>regelianum</i> . 6 to 12 in. | 40 | 2 00 | 12 00 | | | | |

KAWANA, NORTH CAROLINA AND BOSTON, MASSACHUSETTS

Hardy Native Deciduous Shrubs, continued

| | | 10 | 100 | 1,000 | | 10 | 100 | 1,000 |
|--|--------|--------|---------|---|--------------|--------|---------|-------|
| MENZIESIA | | | | | RUBUS | | | |
| <i>pliosa.</i> 6 to 12 in..... | \$1 00 | \$7 00 | | <i>nutkanus</i> , Salmon Berry— | | | | |
| 1 to 2 ft..... | 1 50 | 10 00 | | 1 to 2 ft..... | | \$2 00 | | |
| MYRICA | | | | 6 to 12 in..... | | 3 00 | | |
| <i>cerifera.</i> 1 to 3 in. S..... | 40 | 2 00 | \$10 00 | <i>odoratus</i> , Flowering Rasp- berry. 6 to 12 in..... | 50 | \$2 00 | | |
| 3 to 6 in. S..... | 60 | 3 00 | 18 00 | 1 to 2 ft..... | 75 | 3 00 | \$20 00 | |
| 6 to 12 in..... | 75 | 5 00 | | | | | | |
| <i>gale.</i> 18 to 24 in..... | 1 25 | | | | | | | |
| PIERIS (Andromeda) | | | | | | | | |
| <i>mariana.</i> 6 to 12 in..... | 1 00 | 8 00 | 75 00 | SALIX | | | | |
| 12 to 18 in..... | 1 75 | 12 00 | | <i>cordata.</i> 6 to 12 in..... | 1 50 | | | |
| POTENTILLA | | | | <i>sericea</i> , Silky Willow— | | | | |
| <i>fruticosa.</i> 1 to 2 ft. Cls... 1 00 | | | | 1 to 2 ft..... | | 1 50 | | |
| 2 to 3 ft. Cls..... 2 00 | | | | | | | | |
| PRUNUS | | | | | | | | |
| <i>maritima</i> , Beach Plum— | | | | SAMBUCUS | | | | |
| 6 to 12 in..... | 75 | 5 00 | | <i>canadensis.</i> 1 to 2 ft. Col.. 40 | | 3 00 | 20 00 | |
| 1 to 2 ft..... | 1 00 | 8 00 | | <i>pubens.</i> 6 to 12 in..... | 75 | | | |
| <i>pumila</i> , Sand Cherry— | | | | 1 to 2 ft..... | 1 00 | 7 00 | | |
| 1 to 2 ft..... | 1 50 | 10 00 | | | | | | |
| 2 to 3 ft..... | 2 00 | | | | | | | |
| RHODORA | | | | SPIRÆA | | | | |
| <i>canadensis</i> , Rhodora— | | | | <i>salicifolia</i> , Meadow Sweet— | | | | |
| 1 yr.; 6 to 12 in..... | 1 00 | 8 00 | | 2 to 3 ft. Cls..... 50 | 50 | 3 00 | | |
| RHUS | | | | 3 to 4 ft. Cls..... 75 | 5 00 | 30 00 | | |
| <i>aromatica</i> , Fragrant Sumac— | | | | 4 to 6 ft. Cls..... 1 00 | 8 00 | | | |
| 3 to 6 in. S..... | 75 | 5 00 | | <i>tomentosa</i> , Steeple Bush— | | | | |
| 6 to 12 in..... | 1 50 | | | 6 to 12 in..... 1 00 | | | | |
| 2 to 3 ft..... | 2 00 | | | | | | | |
| <i>copallina</i> , Scarlet S.— | | | | | | | | |
| 6 to 12 in..... | 50 | 3 50 | | STAPHYLEA | | | | |
| 1 to 2 ft..... | 75 | 5 00 | | <i>trifolia.</i> 1 to 2 ft..... 1 00 | 7 00 | | | |
| 2 to 3 ft..... | 1 00 | 9 00 | | | | | | |
| 3 to 4 ft..... | 1 50 | | | | | | | |
| <i>glabra</i> , Smooth S. 1 to 2 ft. 1 00 | 6 00 | | | | | | | |
| 2 to 3 ft..... | 1 50 | 10 00 | | | | | | |
| 3 to 5 ft..... | 2 00 | 15 00 | | | | | | |
| <i>hirta (typhina)</i> , Staghorn S.— | | | | | | | | |
| 2 to 4 ft..... | 1 00 | 7 00 | | | | | | |
| 4 to 6 ft..... | 2 00 | | | | | | | |
| RIBES | | | | | | | | |
| <i>cynosbati</i> , Wild Gooseberry— | | | | | | | | |
| 1 to 2 ft..... | 1 50 | 10 00 | | | | | | |
| <i>prostratum</i> . 1 to 3 ft..... 1 50 | 12 00 | | | | | | | |
| <i>rotundifolium</i> . 1 to 2 ft.... 1 25 | | | | | | | | |
| ROBINIA | | | | | | | | |
| <i>hispida</i> , Moss Locust— | | | | | | | | |
| 6 to 12 in..... | 50 | 3 00 | | | | | | |
| 1 to 2 ft..... | 75 | 5 00 | | | | | | |
| 2 to 3 ft..... | 1 00 | 8 00 | | | | | | |
| <i>rosea</i> . 1 to 2 ft. 1 00 | | | | | | | | |
| <i>kelseyi</i> . 6 to 12 in..... 3 00 | | | | | | | | |
| 1 to 2 ft..... 4 00 | | | | | | | | |
| <i>viscosa</i> . 1 to 2 ft. 75 | 5 00 | | | | | | | |
| 2 to 3 ft..... 1 25 | 8 00 | | | | | | | |
| 3 to 4 ft..... 2 00 | | | | | | | | |
| ROSA | | | | | | | | |
| <i>arkansana</i> . 3 to 6 in. S... 75 | 6 00 | | | | | | | |
| <i>blanda</i> , Meadow Rose— | | | | | | | | |
| 6 to 12 in..... | 75 | 4 00 | | | | | | |
| 1 to 2 ft..... | 1 00 | 6 00 | 50 00 | | | | | |
| <i>carolina</i> . 6 to 12 in. 30 | 1 50 | 12 00 | | | | | | |
| 1 to 2 ft..... | 60 | 3 00 | 20 00 | | | | | |
| 2 to 3 ft..... | 75 | 5 00 | | | | | | |
| <i>humilis lucida</i> , Pasture R.— | | | | | | | | |
| 6 to 12 in..... | 60 | 4 00 | 20 00 | | | | | |
| <i>lucida alba</i> . 1 to 2 ft.... 2 00 | | | | | | | | |
| <i>nitida</i> . 6 to 12 in..... 1 00 | 7 00 | | | | | | | |
| 1 to 2 ft..... | 1 50 | 12 00 | | | | | | |
| <i>nutkana</i> , Wasatch R.— | | | | | | | | |
| 1 to 2 ft..... | 2 50 | | | | | | | |
| <i>rubiginosa</i> , Sweetbrier— | | | | | | | | |
| 6 to 12 in..... | 75 | 4 00 | | | | | | |
| 1 to 2 ft..... | 1 00 | 8 00 | | | | | | |
| <i>rugosa</i> . 1 to 2 ft..... 1 50 | 10 00 | | | | | | | |
| <i>rugosa alba</i> . 2 to 2½ ft. Cls. 2 50 | | | | | | | | |
| <i>setigera</i> , Prairie R. 1 to 2 ft. 1 00 | 7 00 | | | | | | | |
| 2 to 3 ft..... 1 50 | 10 00 | 90 00 | | | | | | |
| <i>woodsi</i> , Woods' R. 6 to 12 in. 3 00 | | | | | | | | |
| | | | | | | | | |

Hardy American Evergreen Shrubs

| | 10 | 100 | 1,000 | | 10 | 100 | 1,000 |
|--|--------|---------|---------|--|----|-----|-------|
| ANDROMEDA | | | | | | | |
| <i>polifolia</i> , Wild Rosemary— | | | | | | | |
| 6 to 12 in. | \$0 75 | \$5 00 | \$40 00 | | | | |
| 12 to 18 in. Cls. | 2 00 | | | | | | |
| CHAMÆDAPHNE (Cassandra) | | | | | | | |
| <i>calyculata</i> . 6 to 12 in. | 75 | 5 00 | | | | | |
| 12 to 18 in. Cls. | 1 25 | 10 00 | | | | | |
| DENDRUM (Lelophyllum) | | | | | | | |
| <i>buxifolium</i> , Sand Myrtle— | | | | | | | |
| 6 to 12 in. Cls. | 50 | 5 00 | | | | | |
| 12 to 18 in. Cls. | 1 00 | | | | | | |
| <i>prostratum</i> , Mt. Heath— | | | | | | | |
| 3 to 6 in. | 1 00 | 6 00 | 50 00 | | | | |
| 3 to 6 in. Cls. | 1 50 | 9 00 | 80 00 | | | | |
| 6 in. Heavy cl. | 2 50 | | | | | | |
| GALAX | | | | | | | |
| <i>aphylla</i> . See under "Ground-Covering Plants," page 11. | | | | | | | |
| HYPERICUM | | | | | | | |
| <i>aureum</i> . 6 to 12 in. S. | 50 | 4 00 | 18 00 | | | | |
| 1 to 2 ft. | 1 00 | 8 00 | | | | | |
| HYPERICUM | | | | | | | |
| <i>buckleyi</i> . Clumps | 1 75 | 12 00 | | | | | |
| <i>densiflorum</i> . 6 to 12 in. S. | 30 | 1 00 | 8 00 | | | | |
| 1 to 2 ft. S. | 50 | 2 00 | 15 00 | | | | |
| 1 to 2 ft. | 75 | 4 00 | 30 00 | | | | |
| 2 to 3 ft. | 1 00 | 6 00 | 40 00 | | | | |
| <i>prolificum</i> . 6 to 12 in. | 60 | 3 00 | | | | | |
| 1 to 2 ft. | 75 | 5 00 | | | | | |
| 2 to 3 ft. | 1 50 | | | | | | |
| ILEX | | | | | | | |
| <i>glabra</i> , Inkberry. 6 to 12 in. 1 50 | 12 00 | | | | | | |
| 12 to 18 in. | 2 00 | | | | | | |
| JUNIPERUS | | | | | | | |
| <i>sabina</i> . 6 to 12 in. | 3 00 | | | | | | |
| KALMIA | | | | | | | |
| <i>angustifolia</i> . 6 to 12 in. | \$0 50 | \$4 00 | | | | | |
| 12 to 18 in. | 1 00 | 8 00 | | | | | |
| <i>glaucia</i> . 3 to 6 in. | 60 | 5 00 | | | | | |
| 6 to 12 in. | 1 50 | | | | | | |
| <i>latifolia</i> , Mountain Laurel. | | | | | | | |
| See page 3. | | | | | | | |
| LEDUM | | | | | | | |
| <i>groenlandicum</i> . 6 to 12 in. 1 00 | | 8 00 | | | | | |
| LEUCOTHOË CATESBAEI | | | | | | | |
| (Catesby's Leucothoe) | | | | | | | |
| Few, if any, evergreen shrubs of the broad-leaved sort have the grace and elegance of this one. The thick, shining leaves are evenly disposed on long, recurved branches, along which the dense racemes of white bell-shaped flowers hang. As an undershrub, or for banks of streams, or for finishing the borders of rhododendron and other evergreen planting, it is without a rival. The "sprays" make beautiful winter decorations indoors, turning a rich bronze in fall or winter. | | | | | | | |
| LONICERA | | | | | | | |
| <i>dioica</i> . 1 to 2 ft. | \$1 50 | \$10 00 | | | | | |
| 2 to 3 ft. | 2 00 | 15 00 | | | | | |
| <i>flava</i> . Stg. | 1 50 | 10 00 | | | | | |
| <i>japonica</i> , var. <i>halliana</i> — | | | | | | | |
| Heavy. 3 yrs. | 50 | 4 00 | \$30 00 | | | | |
| MENISPERMUM | | | | | | | |
| <i>canadense</i> | 50 | 4 00 | | | | | |
| PARTHENOCISSUS (Ampelopsis) | | | | | | | |
| <i>engelmanni</i> . This is the clinging form of the well-known Virginia Creeper, and was introduced by us several seasons ago. The leaves are much thinner and smaller than in the ordinary variety, and the whole plant lacks the coarseness that characterizes <i>A. quinquefolia</i> , and it clings to walls like the ivy. The fall coloring is exceedingly brilliant, and in every way it is vastly superior to the common form, which is not used where the new variety is known and can be had. It is the only clinging vine that will successfully withstand the severe climate of the extreme Northwest in Iowa and the Dakotas. A fine stock ready for fall delivery. | | | | | | | |
| 1 year, transplanted | \$0 40 | \$2 50 | \$18 00 | | | | |
| 2 years, transplanted | 75 | 5 00 | 35 00 | | | | |
| Heaviest | 1 00 | 7 00 | | | | | |
| <i>quinquefolia</i> , Va. Creeper. 1 00 | | | | | | | |
| <i>vitacea</i> . 3 to 6 in. S. | 1 00 | 10 00 | | | | | |

Hardy Native Vines and Climbers

Many plants here offered are of special merit for ground covering, and where needed in large quantities will be supplied at very low prices. *Parthenocissus (Ampelopsis) engelmanni*, *Lonicera halliana*, *L. flava*, *Polygonum cilinode*, *Celastrus scandens*, *Rubus hispida* and *Vitis species* are particularly recommended. In soils adapted to its growth (peaty or loamy, and preferably moist), *Galax aphylla* makes a hardy evergreen undershrub covering of lasting beauty, being a rich green in summer and coloring vivid bronze tints in autumn and winter, an effect which must be seen to be appreciated.

| | 10 | 100 | 1,000 | | 10 | 100 | 1,000 |
|--|--------|---------|---------|--|----|-----|-------|
| AMPELOPSIS . See <i>Parthenocissus</i> . | | | | | | | |
| BIGNONIA | | | | | | | |
| <i>crucigera</i> , Cross Vine— | | | | | | | |
| 6 to 9 in. Stg. | \$0 50 | \$3 00 | \$20 00 | | | | |
| CEBATHA (Cocculus) | | | | | | | |
| <i>carolina</i> . 6 to 12 in. | 50 | 3 00 | | | | | |
| CELASTRUS | | | | | | | |
| <i>scandens</i> , Bitter Sweet— | | | | | | | |
| 1 to 2 ft. | 75 | 5 00 | 40 00 | | | | |
| 2 to 3 ft. | 1 00 | 7 00 | 60 00 | | | | |
| CLEMATIS | | | | | | | |
| <i>coccinea</i> , Scarlet C. | 1 75 | 12 00 | | | | | |
| <i>crispa</i> , Purple C. | 1 50 | 12 00 | | | | | |
| <i>paniculata</i> (not native)— | | | | | | | |
| 3 yrs. | 2 00 | | | | | | |
| <i>scottii</i> , Western C. | 3 00 | | | | | | |
| <i>virginiana</i> . Tr.; heavy.... | 75 | 4 00 | 25 00 | | | | |
| We supply thousands of this beautiful vine every year. Strong collected plants, \$12 per 1,000. | | | | | | | |
| DIOSCOREA | | | | | | | |
| <i>villosa</i> | 50 | 4 00 | | | | | |
| CELSIUM | | | | | | | |
| <i>semperfiriens</i> , Yellow Jasmine. Price on request. | | | | | | | |
| HUMULUS | | | | | | | |
| <i>lupulus</i> , Hop Vine (not native) | 75 | 5 00 | | | | | |
| LONICERA | | | | | | | |
| <i>dioica</i> . 1 to 2 ft. | \$1 50 | \$10 00 | | | | | |
| 2 to 3 ft. | 2 00 | 15 00 | | | | | |
| <i>flava</i> . Stg. | 1 50 | 10 00 | | | | | |
| <i>japonica</i> , var. <i>halliana</i> — | | | | | | | |
| Heavy. 3 yrs. | 50 | 4 00 | \$30 00 | | | | |
| MENISPERMUM | | | | | | | |
| <i>canadense</i> | 50 | 4 00 | | | | | |
| PARTHENOCISSUS (Ampelopsis) | | | | | | | |
| <i>engelmanni</i> . This is the clinging form of the well-known Virginia Creeper, and was introduced by us several seasons ago. The leaves are much thinner and smaller than in the ordinary variety, and the whole plant lacks the coarseness that characterizes <i>A. quinquefolia</i> , and it clings to walls like the ivy. The fall coloring is exceedingly brilliant, and in every way it is vastly superior to the common form, which is not used where the new variety is known and can be had. It is the only clinging vine that will successfully withstand the severe climate of the extreme Northwest in Iowa and the Dakotas. A fine stock ready for fall delivery. | | | | | | | |
| 1 year, transplanted | \$0 40 | \$2 50 | \$18 00 | | | | |
| 2 years, transplanted | 75 | 5 00 | 35 00 | | | | |
| Heaviest | 1 00 | 7 00 | | | | | |
| <i>quinquefolia</i> , Va. Creeper. 1 00 | | | | | | | |
| <i>vitacea</i> . 3 to 6 in. S. | 1 00 | 10 00 | | | | | |

Hardy Native Vines and Creepers, continued

| | 10 | 100 | 1,000 |
|---|--------|---------|-------|
| PASSIFLORA | | | |
| <i>incarnata</i> , a hardy Passion-flower | \$1.50 | | |
| POLYCONUM | | | |
| <i>clinnode</i> , Fringed Blindweed. 50 | \$3.50 | \$20.00 | |
| Highlands Nursery introduction. | | | |
| TECOMA | | | |
| <i>radicans</i> , Scarlet Trumpet Creeper. Stg..... | 40 | 3.00 | |
| VITIS | | | |
| <i>æstivalis</i> , Summer Grape— | | | |
| 6 to 12 in..... | 1.25 | | |
| 1 to 2 ft..... | 2.00 | | |

| | 10 | 100 | 1,000 |
|--|--------|--------|---------|
| VITIS | | | |
| <i>cordifolia</i> , Frost Grape— | | | |
| 3 to 6 in. S..... | \$0.75 | \$3.00 | \$25.00 |
| 6 to 12 in. S..... | 1.00 | 5.00 | |
| 1 to 2 ft..... | 1.50 | | |
| <i>Indivisa</i> , Cut-leaved Grape— | | | |
| 1 to 2 ft..... | 3.00 | | |
| <i>labrusca</i> , Fox Grape— | | | |
| 3 to 6 in. S..... | 50 | 2.00 | 10.00 |
| 6 to 12 in. S..... | 1.00 | 3.00 | 25.00 |
| 1 to 2 ft..... | 1.75 | | |
| <i>monticola</i> , 4 to 12 in. S... | 1.00 | | |
| <i>vulpina</i> , Sweet-scented Grape, 6 to 12 in. | 1.50 | 12.00 | |
| WISTARIA | | | |
| <i>frutescens</i> , 1 to 2 ft. | 1.00 | | |
| 2 to 3 ft..... | 1.50 | | |

Hardy Ground-Covering Plants

GALAX APHYLLA (Galax, or Coltsfoot)

A low ground-covering evergreen with heart-shaped crenate-toothed leaves of striking beauty. The white flowers are borne on a scape 12 to 18 inches high. The thick leaves turn brilliant shades of bronze, red and crimson in autumn, remaining so through the winter. We introduced the leaf to the florists' trade for decorating purposes, and they are now used by millions. A remarkable ground-covering plant, particularly for use in the rhododendron bed.

| | 10 | 100 | 1,000 |
|-------------------------|--------|--------|---------|
| Established clumps..... | \$1.00 | \$6.00 | \$40.00 |
| Collected clumps..... | 75 | 3.00 | 20.00 |

Collected plants, single, will be supplied at \$10 per 1,000, but we recommend planting only clumps.

| | 10 | 100 | 1,000 |
|-------------------------|--------|---------|-------|
| Established clumps..... | \$2.00 | \$15.00 | |

| | 10 | 100 | 1,000 |
|-------------------------|------|------|---------|
| Col. clumps..... | 50 | 3.00 | \$18.00 |
| procumbens. Clumps..... | 1.00 | 7.00 | |

| | 10 | 100 | 1,000 |
|------------------|----|------|-------|
| Col. clumps..... | 50 | 3.00 | 18.00 |

| | 10 | 100 | 1,000 |
|------------------|----|------|-------|
| Col. clumps..... | 50 | 3.00 | 18.00 |

| | 10 | 100 | 1,000 |
|------------------|----|------|-------|
| Col. clumps..... | 50 | 3.00 | 18.00 |

| | 10 | 100 | 1,000 |
|------------------------------------|--------|--------|---------|
| LYCOPODIUM | | | |
| <i>clavatum</i> , Col. clumps..... | \$0.40 | \$2.00 | \$15.00 |
| <i>complanatum</i> , Col. clumps. | 40 | 2.00 | 15.00 |
| <i>lucidulum</i> , Col. clumps.... | 40 | 2.00 | 15.00 |
| <i>obscurum</i> , Col. clumps.... | 40 | 2.00 | 15.00 |

| | 10 | 100 | 1,000 |
|----------------------------------|----|------|-------|
| MITCHELLA | | | |
| <i>repens</i> , Col. clumps..... | 75 | 4.00 | 30.00 |

| | 10 | 100 | 1,000 |
|---------------------------------------|------|-------|-------|
| PHLOX | | | |
| <i>reptans</i> , Trailing Phlox. Col. | 50 | 3.00 | 15.00 |
| <i>subulata</i> , Clumps..... | 75 | 5.00 | |
| <i>subulata alba</i> , Clumps.... | 1.25 | 10.00 | |

| | 10 | 100 | 1,000 |
|---|------|-------|-------|
| RUBUS | | | |
| <i>canadensis</i> , Dewberry— | | | |
| 1 to 2 ft. Heavy..... | 50 | 4.00 | |
| <i>cunefolius</i> , Sand Black-berry. 6 to 12 in..... | 2.00 | | |
| <i>deliciosus</i> , Canon B.— | | | |
| 6 to 12 in..... | 2.50 | | |
| <i>hispidus</i> , Running B..... | 30 | 2.00 | |
| <i>laciniatus</i> , Cut-leaved B.— | | | |
| 6 to 12 in..... | 75 | | |
| 1 to 2 ft..... | 1.50 | 12.00 | |

| | 10 | 100 | 1,000 |
|--|----|------|-------|
| VERONICA | | | |
| <i>officinalis</i> , Col. clumps.... | 50 | 3.00 | |
| <i>serpyllifolia</i> , Col. clumps.... | 50 | 3.00 | |

| | 10 | 100 | 1,000 |
|----------------------------------|------|------|-------|
| VINCA | | | |
| <i>minor</i> , Periwinkle— | | | |
| Strong plants..... | 50 | 4.00 | 20.00 |
| Clumps..... | 75 | 5.00 | 40.00 |
| <i>minor alba</i> , White P..... | 1.00 | 6.00 | |



Bicuculla eximia along the Rhododendron Bed



Xanthorrhiza apifolia as an edging for Kalmias

Always address correspondence to Boston office

HARDY NATIVE FERNS

| | 10 | 100 | 1,000 | 10 | 100 | 1,000 |
|--|--------|--------|---------|---|--------|--------|
| Adiantum pedatum , Maidenhair Fern, Clumps..... | \$1 00 | \$6 00 | \$45 00 | Dryopteris cristata clintoniana , Clinton's Shield Fern..... | \$1 50 | |
| Asplenium angustifolium , narrow-leaved Spleenwort..... | 1 00 | 8 00 | | marginalis , Shield Fern..... | 75 | \$5 00 |
| platyneuron , Ebony Spleenwort.. | 1 00 | 8 00 | | nevadense , Strong..... | 3 00 | |
| filix-fœmina , Lady Fern..... | 75 | 5 00 | | novaboracensis | 1 00 | 8 00 |
| novaboracensis | 1 00 | | | rigidum | 3 50 | |
| thelypteroides , Silvery Spleenwort..... | 1 00 | 8 00 | | spinulosa | 75 | 5 00 |
| trichomanes , Maidenhair Spleenwort..... | 1 00 | 8 00 | | spinulosa intermedia | 1 00 | 6 00 |
| Botrychium dissectum , Cut-leaved Grape Fern..... | 75 | 5 00 | | thelypteris | 1 50 | |
| lunaria , Moonwort..... | 1 00 | | | Lygodium palmatum , Climbing Fern..... | 1 00 | 8 00 |
| virginianum , Virginia Grape Fern..... | 60 | 4 00 | | Onoclea sensibilis | 1 00 | 5 00 |
| Camptosorus rhizophyllus , Walking Fern..... | 75 | 5 00 | | Osmunda cinnamomea , Cinnamom Fern..... | 1 00 | 6 00 |
| Cystopteris fragilis | 1 50 | 10 00 | | claytoniana | 1 00 | 5 00 |
| DICKSONIA PUNCTILOBULA , Hay-scented Fern. Cls..... | 50 | 2 00 | 15 00 | regalis , Royal Fern..... | 1 00 | 5 00 |
| Dryopteris acrostichoides , Dagger Fern..... | 75 | 5 00 | | Pellæa atropurpurea | 1 50 | |

We collect a good variety of hardy native Ferns for park and cemetery planting, including the following:

Adiantum pedatum,
Dryopteris acrostichoides
Dryopteris marginalis

Dryopteris spinulosa,
Dicksonia punctilobula,
Onoclea sensibilis,

Osmunda, in 3 vars.,
Polypodium vulgare,
Pteris aquilina.

This list can be collected to order at \$12 per 1,000, excepting the **Osmundas**, which are very heavy, at \$20 per 1,000. Only strong clumps will be sent.

HARDY INSECTIVOROUS, AQUATIC AND BOG PLANTS

| | 10 | 100 | 1,000 |
|--|-------------|--------|---------|
| Acorus calamus , Sweet Flag..... | \$1 00 | \$5 00 | |
| Aster puniceus . Col..... | 50 | 3 00 | \$12 00 |
| Castalea (Nymphaea) brakeleyi <i>rosea</i> | Each, \$3.. | | |
| odorata | 1 00 | 5 00 | |



Sarracenia drummondii

| | 10 | 100 | 1,000 |
|---|------|--------|---------|
| Castalea odorata rosea , Pink Cape Cod Water-Lily..... | | \$5 00 | |
| Chelone glabra , White Turtle-head. 1 00 Iyoni..... | | | \$5 00 |
| CHRYSAMPHORA (Darlingtonia) CALIFORNICA , California Pitcher Plant..... | | 4 00 | |
| Cicuta maculata , Water Hemlock. 1 00 | | | 5 00 |
| DIONÆA MUSCIPULA , Venus' Fly-trap. Quite hardy..... | 1 00 | 5 00 | \$40 00 |
| HELONIAS BULLATA . Clumps..... | 75 | 5 00 | 35 00 |
| IRIS pseudacorus , Yellow Flag. 1 50 <i>versicolor</i> , Large Blue Flag. Cls. 75 | | | 5 00 |
| Nuphar advena | | 1 50 | |
| Nelumbium luteum | | 3 00 | |
| NYMPHÆA (Nuphar) SAGITTÆ-FOLIA , Yellow Water-Lily..... | | 4 00 | |
| Orontium aquaticum , Golden Club..... | | 1 00 | 7 00 |
| Oxycoccus macrocarpus , American Cranberry. Clumps..... | 50 | 4 00 | 25 00 |
| Col..... | 20 | 1 00 | 6 00 |
| Pontederia cordata , Pickerel Weed..... | 1 00 | 6 00 | |
| Sagittaria latifolia , Arrow-Head.. | 30 | 1 50 | 7 00 |


SARRACENIAS

Pitcher Plant, or Trumpet Leaf

| | 10 | 100 |
|--|--------|---------|
| Sarracenia catesbaei . New species..... | \$2 00 | \$12 00 |
| drummondii | 2 00 | 12 00 |
| flava . Strong..... | 1 25 | 8 00 |
| minor (variolaris) | 1 50 | 10 00 |
| psittacina | 2 00 | 12 00 |
| purpurea | 1 00 | 6 00 |
| rubra | 1 50 | 10 00 |

| | 10 | 100 |
|--|--------|--------|
| Sparganium ramosum , Bur Reed..... | \$0 75 | \$5 00 |
| Typha latifolia , Broad-Leaved Cat-Tail... 1 00 | | |

Always Address Correspondence to Boston Office



Cypripedium reginæ in cultivation

HARDY NATIVE TERRESTRIAL ORCHIDS

CYPRIPEDIUM REGINÆ (spectabile)

White and Pink Ladies' Slipper

We offer an exceptional stock of this, the finest of all American Terrestrial Orchids, at low rates for advance orders.

| | 10 | 100 |
|---------------------|--------|---------|
| 1 to 3 crowns..... | \$1.50 | \$12.50 |
| 3 to 6 crowns..... | 2.50 | 20.00 |
| 6 to 9 crowns..... | 3.50 | 30.00 |
| 9 to 12 crowns..... | 5.00 | 40.00 |

| | 10 | 100 | 1,000 |
|--|--------|--------|---------|
| Cypripedium acaule , Moccasin Flower..... | \$0.75 | \$5.00 | \$40.00 |
| Small..... | 50 | 3.00 | 20.00 |

| | 10 | 100 |
|--|------|-----|
| candidum , Small White Ladies' Slipper..... | 3.00 | |

| | 10 | 100 | 1,000 |
|--|--------|--------|---------|
| Cypripedium hirsutum (pubescens) . Strong..... | \$0.75 | \$5.00 | \$40.00 |
| Small..... | 50 | 3.00 | |
| montana , Fragrant Ladies' Slipper..... | | | • |
| parviflorum , Small Yellow Ladies' Slipper..... | | 2.00 | |
| Habenaria ciliaris , Yellow-fringed Orchis..... | | 75 | 5.00 |
| hookeriana , Hooker's Orchis..... | | 75 | 6.00 |
| psycodes , Purple-fringed Orchis..... | 1.50 | 10.00 | |
| Limodorum (Calopogon) tuberosum , Grass Pink..... | 1.00 | 5.00 | 40.00 |
| Orchis spectabilis , Showy Orchis..... | 1.50 | 12.50 | |
| Perarium (Goodyera) pubescens , Rattlesnake Plantain. Col. 1.50 | | | |
| repens . Col. 1.50 | | | |

AMERICAN LILIES AND BULBOUS PLANTS



Lilium grayi

| | 10 | 100 | 1,000 |
|---|--------|--------|---------|
| Allium cernuum | \$1.00 | \$7.00 | |
| tricoccum | | 75 | |
| Arisaema triphyllum | | 50 | 3.00 |
| BICUCULLA EXIMIA . Cls. | 1.00 | 7.00 | |
| Chrosperma (Amianthium) muscætoxicum | 50 | 3.00 | \$20.00 |
| Convallaria majalis | 50 | 2.00 | 15.00 |
| Erythronium americana . Col. | 25 | 1.50 | 8.00 |
| Lilium canadense | 75 | 5.00 | 35.00 |
| carolinianum | 1.00 | 8.00 | |
| catesbaei , Southern Red Lily. Small bulbs.... | 1.00 | 7.00 | |

LILIUM GRAYI (Gray's, or Bell Lily)

Introduction of Highlands Nursery. See cut on front cover. Beautiful spotted, bell-shaped, reddish brown flowers; very distinct and showy. A fine stock ready for delivery.

| | 10 | 100 | 1,000 |
|------------------|--------|---------|---------|
| First size..... | \$2.00 | \$12.50 | \$80.00 |
| Second size..... | 1.00 | 7.00 | 50.00 |
| 1 year..... | 50 | 3.00 | 18.00 |

| | 10 | 100 |
|-------------------------------------|--------|---------|
| Lilium pardalinum | \$2.00 | \$15.00 |
| philadelphicum | | 1.00 |
| puberulum (humboldtii) | | 2.00 |

American Lilies and Bulbous Plants, continued

LILIUM SUPERBUM (Turk's Cap Lily)

No description will do justice to this magnificent American Lily. A clump of them is literally a blaze of scarlet and gold. For years we have made the growing of this Lily a specialty, and send out thousands of bulbs every season. Our stock this season is very fine, and we are offering it at a low price for the benefit of large planters and those wishing to catalog it. Of special use for planting in rhododendron beds.

| | 10 | 100 | 1,000 |
|------------------|--------|--------|---------|
| First size..... | \$1 00 | \$5 00 | \$40 00 |
| Second size..... | 50 | 3 00 | 25 00 |
| Third size..... | 30 | 1 50 | 13 00 |

| | | | |
|-------------------------------------|------|-------|-------|
| <i>Oxalis acetosella</i> , Col. | 10 | 100 | 1,000 |
| <i>Sanguinaria canadensis</i> . See | | | |
| Herbaceous Perennials. | | | |
| <i>Trillium cernuum</i> | 2 00 | | |
| <i>erectum</i> | 30 | 2 00 | 18 00 |
| <i>erectum album</i> | 40 | 3 00 | |
| <i>GRANDIFLORUM</i> Small..... | 20 | 1 00 | 7 00 |
| Strong..... | 40 | 2 00 | 15 00 |
| <i>sessile californicum</i> | 1 50 | 10 00 | |
| <i>STYLOSUM</i> , Nodding Trillium. | | | |
| Rare. Small..... | 60 | 3 00 | 20 00 |
| Strong..... | 1 50 | 5 00 | 35 00 |
| <i>undulatum (erythrocarpum)</i> , | | | |
| Painted Trillium..... | 50 | 2 50 | 18 00 |

HARDY NATIVE HERBACEOUS PERENNIALS

| | 10 | 100 | 1,000 |
|---|--------|---------|-------|
| <i>Aconitum reclinatum</i> | \$1 25 | \$10 00 | |
| <i>uncinatum</i> , Wild Monk's Hood... 75 | 5 00 | | |
| <i>Actaea alba</i> , White Baneberry..... 50 | 3 00 | | |
| <i>rubra</i> , Red Baneberry..... 1 50 | 12 00 | | |
| <i>Adonis montana</i> , Mountain | | | |
| Dandelion..... 1 00 | 7 00 | | |
| <i>Amsonia amsonia</i> 1 00 | 6 00 | | |
| <i>Angelica curtisii</i> 50 | 3 00 | \$15 00 | |
| <i>Aquilegia canadensis</i> , Wild | | | |
| Columbine. Clumps..... 1 00 | 7 00 | | |
| <i>Apocynum androsaemifolium</i> , | | | |
| Honey Bloom..... 1 00 | | | |
| <i>Aralia nudicaulis</i> , Sarsaparilla.... 50 | 3 00 | | |
| <i>racemosa</i> , Am. Spikenard. Strong | | | |
| clumps..... 75 | 4 00 | | |
| <i>Archangelica hirsuta</i> 60 | 4 00 | | |
| <i>Artemisia gracilis</i> 2 50 | | | |
| <i>Aruncus (Spiraea) aruncus</i> 1 00 | 8 00 | | |
| <i>Asarum canadense</i> 1 50 | | | |
| <i>macranthum</i> 1 00 | 7 00 | | |
| <i>Asclepias incarnata</i> 1 50 | | | |
| Strong S..... 75 | 4 00 | 20 00 | |
| <i>tuberosa</i> , Butterfly Weed..... 1 00 | | | |
| Strong S..... 75 | 5 00 | | |
| <i>Aster cordifolius</i> 50 | 3 00 | | |
| <i>novæ-angliæ</i> . Clumps..... 1 00 | 10 00 | | |
| <i>punicaceus</i> (see Bog Plants)..... | | | |
| <i>mixture</i> . Col. 50 | 2 00 | 10 00 | |
| <i>Astilbe decandra</i> 1 00 | 6 00 | | |
| <i>Baptisia australis</i> , Blue Indigo. | | | |
| Clumps..... 1 50 | 12 00 | | |
| <i>tinctoria</i> , Yellow Indigo..... 75 | 3 00 | | |
| <i>Bidens (Coreopsis) trichosperma</i> 75 | | | |
| <i>Brunella vulgaris</i> . Col..... 50 | 2 00 | | |
| <i>Campanula divaricata</i> . Carolina | | | |
| Harebell..... 1 00 | 7 00 | | |
| <i>Capnoidea sempervirens</i> . Col. 1 00 | | | |
| <i>Carex fraseri</i> . Strong..... 1 00 | 5 00 | | |
| <i>Cassia marylandica</i> . Strong 75 | 4 00 | 20 00 | |
| Seedling..... 50 | 2 00 | 10 00 | |
| <i>Castilleja coccinea</i> , Painted Cup. 1 50 | | | |
| <i>Caulophyllum thalictroides</i> 60 | 4 00 | | |
| <i>Collinsonia canadensis</i> , Horse | | | |
| Balm..... 50 | 3 00 | | |
| <i>CHAMÆLIRIUM LUTEUM</i> , Blazing | | | |
| Star..... 1 00 | 6 00 | | |
| <i>Cimicifuga americana</i> 60 | 3 00 | 25 00 | |
| <i>racemosa</i> 60 | 3 00 | 25 00 | |

| | 10 | 100 | 1,000 |
|--|--------|-------|---------|
| <i>Clintonia borealis</i> , Yellow C..... \$0 50 | \$3 00 | | |
| <i>umbellulata</i> , White C..... 50 | 3 00 | | |
| <i>Coreopsis lanceolata</i> . Strong S. | 25 | 1 50 | \$12 00 |
| <i>major (senifolia)</i> 75 | 4 00 | | |
| <i>roseus</i> 1 00 | 6 00 | | |
| <i>verticillata</i> 75 | 4 00 | | |
| <i>Cornus canadensis</i> 1 00 | 6 00 | | |
| <i>Corydalis glauca</i> . Col..... 50 | 2 00 | | |
| <i>Diphylleia cymosa</i> 1 00 | 7 00 | | |
| <i>Disporum lanuginosum</i> 1 00 | 6 00 | | |
| <i>Eupatorium ageratoides</i> 30 | 2 00 | 12 00 | |
| <i>perfoliatum</i> 50 | 3 00 | | |
| <i>purpureum</i> 50 | 3 00 | 25 00 | |
| <i>Euphorbia corollata</i> 75 | 4 00 | | |
| GALAX APHYLLA . See Ground-covering Plants. | | | |
| <i>GENTIANA ANDREWSII</i> 60 | 3 00 | | |
| <i>Geranium maculatum</i> 50 | 3 00 | | |
| <i>Geum radiatum</i> 1 00 | | | |
| <i>Grindelia squarrosa</i> . Strong..... 75 | 5 00 | | |
| <i>Helenium autumnale</i> . Col. cl... 50 | 3 00 | 25 00 | |
| <i>Helianthus strumosus</i> 75 | 3 00 | 20 00 | |
| <i>Hepatica acuta</i> 40 | 3 00 | 20 00 | |
| <i>hepatica (triloba)</i> 75 | 5 00 | | |
| <i>HEUCHERA AMERICANA</i> 75 | 5 00 | 40 00 | |
| <i>pubescens</i> 75 | 5 00 | | |
| <i>sanguinea</i> , Coral Bells..... 2 00 | 15 00 | | |
| <i>villosa</i> 60 | | | |
| <i>Hibiscus, Crimson Eye</i> . Strong.. 75 | 5 00 | | |
| <i>moscheutos</i> , Strong..... 50 | 4 00 | | |
| <i>Rose-Pink</i> . Strong..... 1 00 | 7 00 | | |
| <i>moscheutos, Crimson Eye</i> and | | | |
| <i>Rose-pink</i> . Strong S. Mixed.. 50 | 4 00 | | |
| <i>Houstonia purpurea</i> . Col. cl... 50 | 3 00 | | |
| <i>Iris cristata</i> . Strong col..... 50 | 2 00 | 10 00 | |
| Clumps..... 75 | 4 00 | 30 00 | |
| <i>missouriensis</i> 3 00 | | | |
| <i>verna</i> , Dwarf Iris..... 1 00 | 6 00 | | |
| Strong Col..... 50 | 2 00 | 10 00 | |
| <i>Lacinaria (Liatris) pycnostachya</i> | | | |
| <i>scariosa</i> 1 00 | 6 00 | | |
| S., 1 yr..... 50 | 3 00 | 20 00 | |
| <i>spicata</i> 1 00 | | | |
| <i>spicata pumila</i> . Very showy | | | |
| mountain var..... 1 00 | 6 00 | | |
| <i>Leptandra (Veronica) virginica</i> .. 1 00 | | | |
| <i>Lewisia rediviva</i> 3 00 | | | |
| <i>Leucocrinum montanum</i> , Sand | | | |
| Lily..... 2 00 | 15 00 | | |

Always Address Correspondence to Boston Office

HARDY NATIVE HERBACEOUS PERENNIALS, continued

| | 10 | 100 | 1,000 | |
|---|--------|--------|---------|--|
| <i>Lobelia cardinalis</i> , Cardinal Flower..... | \$0 50 | \$4 00 | | |
| <i>syphilitica</i> , Blue..... | 75 | 5 00 | | |
| <i>Melanthium virginicum</i> | 1 00 | | | |
| <i>Mertensia virginica</i> , Blue Bells..... | 1 00 | 8 00 | | |
| <i>Mimulus ringens</i> . Col. cl. | 50 | 2 00 | \$12 00 | |
| <i>MONARDA DIDYMA</i> | 1 00 | 6 00 | | |
| <i>Panax (Aralia) quinquefolium</i> , Ginseng. Price on application. Also special circular. | | | | |
| <i>PARONYCHIA ARGYROCOMA</i> | 1 00 | | | |
| <i>Phlox maculata</i> | 75 | 5 00 | | |
| <i>subulata</i> . See under Creepers. | | | | |
| <i>Physostegia virginiana</i> | 75 | 6 00 | | |
| <i>virginiana</i> , var. <i>alba</i> | 1 00 | 7 00 | | |
| <i>Podophyllum peltatum</i> | 50 | 2 00 | 18 00 | |
| <i>Polygonatum biflorum</i> | 60 | 3 00 | | |
| <i>commutatum</i> , Solomon's Seal. Strong..... | 75 | 5 00 | | |
| <i>PORTERANTHUS (Gillenia) STIP- ULATUS</i> | 1 00 | 5 00 | | |
| <i>Potentilla tridentata</i> . Clumps..... | 1 00 | 7 00 | | |
| <i>Pyrola rotundifolia</i> | 75 | 5 00 | | |
| <i>SANGUINARIA CANADENSIS</i> , Bloodroot..... | 50 | 3 00 | 15 00 | |
| All large orders should be placed early. We usually pack in dry earth. | | | | |
| <i>SAXIFRAGA MICHauxII</i> . Beauti- ful new Saxifrage..... | 1 00 | 5 00 | 30 00 | |
| <i>micranthidifolia</i> | 75 | 4 00 | | |
| <i>Scrophularia marylandica</i> | 75 | | | |
| <i>Sedum telephiooides</i> | 1 00 | 7 00 | | |
| <i>ternatum</i> | 50 | 3 00 | | |

SHORTIA GALACIFOLIA

The beautiful and rare Shortia introduced by us. A fine stock of strong, established plants on hand.

| | 10 | 100 |
|---------------------------|--------|---------|
| First size. Clumps..... | \$3 00 | |
| Second size..... | 1 50 | \$10 00 |
| 1 year, transplanted..... | 75 | 5 00 |

| | 10 | 100 | 1,000 |
|---|--------|--------|---------|
| <i>Silene stellata</i> , Starry Campion.... | \$0 60 | \$4 00 | |
| <i>virginica</i> , Fire Pink..... | 1 00 | 8 00 | |
| <i>Solidago canadensis</i> | 75 | 5 00 | |
| <i>odora</i> , Sweet Goldenrod. Strong S. | 75 | 5 00 | |
| <i>in variety</i> . Col. | 50 | 2 00 | \$10 00 |
| <i>virgaurea</i> , Goldenrod. Clumps.... | 75 | 4 00 | |
| <i>Spigelia marylandica</i> | 1 50 | 10 00 | |
| <i>Steironema quadriflorum</i> | 1 00 | | |
| <i>ciliatum</i> , Fringed Loosestrife.... | 75 | 4 00 | |
| <i>Stenanthium angustifolium</i> | 1 50 | | |
| <i>ROBUSTUM</i> . One of the best new perennials with large showy pan- icles of pure white..... | 1 00 | 5 00 | |
| Strong..... | 1 75 | 12 00 | |
| Heavy..... | 2 50 | 20 00 | |
| <i>Thalictrum dioicum</i> | 60 | 3 00 | |

THERMOPSIS CAROLINIANA.

| | | | |
|--|--------|--------|---------|
| Strong S..... | \$0 75 | \$5 00 | \$35 00 |
| Strong..... | 1 25 | 10 00 | |
| <i>Therofon aconitifolium</i> . S..... | 40 | 2 00 | |
| Strong..... | 75 | 5 00 | |
| <i>Tradescantia pilosa</i> | 75 | 5 00 | |
| <i>virginiana</i> , Spiderwort..... | 75 | 5 00 | |
| <i>Trautvetteria carolinensis</i> | 50 | 4 00 | |
| <i>Triosteum perfoliatum</i> | 75 | | |
| <i>Unifolium canadense</i> | 50 | 4 00 | |
| <i>Uvularia perfoliata</i> , Bellwort..... | 50 | 3 00 | 15 00 |
| <i>sessilifolia</i> . Clumps..... | 1 00 | | |
| <i>Vagneria (Smilacina) racemosa</i> | 75 | 4 00 | |
| <i>Veratrum viride</i> , Hellebore..... | 75 | 4 00 | |
| <i>Veronica noveboracensis</i> . Col. clumps..... | 75 | 4 00 | |
| <i>Viola blanda</i> | 75 | | |
| <i>canadensis</i> | 75 | 4 00 | |
| <i>cucullata</i> , Blue Violet. Clumps.. | 50 | 3 00 | 15 00 |
| <i>cucullata nana</i> | 75 | 4 00 | |
| <i>hastata</i> , Yellow Violet..... | 50 | 3 00 | |
| <i>lanceolata</i> | 75 | | |
| <i>palmata</i> , Early Blue Violet..... | 75 | 4 00 | |
| <i>pedata</i> , Bird's-Foot Violet..... | 75 | 5 00 | 35 00 |
| <i>PEDATA</i> , var. <i>BICOLOR</i> | 2 00 | 15 00 | |
| <i>rotundifolia</i> | 50 | 3 00 | |
| <i>sheltonii</i> | 2 00 | | |
| <i>Yucca filamentosa</i> | 75 | 5 00 | |
| <i>flaccida</i> . Clumps..... | 75 | 6 00 | 50 00 |
| Medium..... | 40 | 2 00 | 15 00 |
| <i>glauca (angustifolia)</i> . Clumps. 4 00 | | | |
| 1 year, S..... | 1 00 | 5 00 | |
| <i>Zerophyllum asphodeloides</i> . Single..... | 50 | 3 00 | |
| Strong clumps..... | 1 00 | | |
| <i>Zigadenus leimanthoides</i> | 1 50 | 12 00 | |



Sanguinaria canadensis

HARDY CACTI

| | 10 | 100 | |
|---|--------|---------|--|
| <i>Echinocactus simpsoni</i> , Hedge-Hog Cactus..... | \$2 00 | | |
| <i>Opuntia arenaria</i> | 2 50 | | |
| <i>camanchia</i> | 2 00 | | |
| <i>Opuntia fragilis</i> | \$1 50 | | |
| <i>mesacantha macrorhiza</i> | 2 00 | \$15 00 | |
| <i>refinesquii cymochilla</i> | 2 00 | | |
| <i>refinesquii greenii</i> | 2 00 | | |



Kalmia latifolia in full bloom



Trusses of Rhododendron catawbiense (true species) at Highlands Nursery,
Kawana, North Carolina (3,800 feet elevation)



A small corner of Highlands Nursery in the high Carolina mountains

Always Address Correspondence to Boston Office